




AC DRIVE D12 SERIES



V74 Series Mini VFD

POWER RATINGS

1 x 200-240 V 0.4 - 2.2kw

Versatile & Multifunctional

Promoted V/Hz

ModBus

Detachable Control Panel

Multi-step Freq.

s-curve

PID

Simple PLC

Mechanical Brake

Skip Frequency

V/Hz Separated Control

Restart Upon Power Loss

Motor Thermal Protection

Stall Protections

...

AC DRIVE V74 SERIES

Start Torque@0.5HZ
150%

Overload Capability
150%

Ambient Temp ° c
40

Speed Regulation
1:40

Ingress Protection
IP20

Speed accuracy ±
2%



TERMINAL

Analog Input **x 2**

Analog Output **x 1**

Relay Output **x 1**

Digital Input **x 5**

Digital Output **x 1**

Communication Port **x 1**

MODEL

V74 - S2 - 0R7

Code	Series
V74	V74 Mini AC Drive

Code	Voltage Class	Code	Rate Power
T3	Three Phase 380V	0R4	0.4KW
S2	Single Phase 220V	0R7	0.75KW
		1R5	1.5KW
		2R2	2.2KW

ERSAN TEKNOLOJİ
Science&Technology Co., Ltd

Model : V74-S2-0R7

Max Appli Motor : 0.75KW

Input : AC1PH 200-240V 50/60Hz 8.2A

Output : AC3PH 0-240V 0-400Hz 5A

Operating Temperature: -10 °C-40 °C

IP Protection: I



ADD : Süphen Mahallesi / İSGEM 1. Sokak
NO:13 Eski kundura Fabrikası
EDİRNE/T/VAN

MODEL

Model	Power Rating (kW)	Rated Output Current (Amps)	Rated Input Current (Amps)*	Applicable Motor (kW)	Model	Power Rating (kW)	Rated Output Current (Amps)	Rated Input Current (Amps)*	Applicable Motor (kW)
V74-S2-0R4	0.4	2.3	5.4	0.4	V74-S2-1R5	1.5	7.0	14.0	1.5
V74-S2-0R7	0.75	4.0	8.2	0.75	V74-S2-2R2	2.2	9.6	23.0	2.2

DIMENSIONS Unit mm

0R4/0R7/1R5
 H*W*D - 141.5*85*113
 Mounting dimensions 66.5*195



2R2
 H*W*D - 151*100*120
 Mounting dimensions 90*253



APPCATION

- HVAC
- Water pumps
- Food industry
- Chemical industry
- Fans
- Medical and health
- Transport machinery
- ...



ERSAN TEKNOLOJI SCIENCE&TECHNOLOGY CO.,LTD

Add: Suphan Mahallesi iSGEM 1.Sokak NO:13 Eski kundura Fabrikası EDREMIT/VAN

www.ersanteknoloji.com.tr

T : +904325026161

Mail : ersanteknoloji@gmail.com

All Rights ©